

## **Additional Considerations for Swimming Pools / Aquatic Venues**

- Fitness facilities with swimming pools or splash pads should take additional steps to ensure those facilities are properly cleaned and disinfected for patron use, according to CDC guidelines.
- Please note that saunas, steam rooms, and hot tubs should remain closed.
- Maintain proper disinfectant levels (1-10 parts per million free chlorine or 3-8 ppm bromine) and pH (7.2-8).
- Consult with the company or engineer that designed the aquatic venue to decide which List N disinfectants approved by the EPA are best for the aquatic venue. Ensure the safe and correct use and storage of disinfectants, including storing products securely away from children.
- Set up a system so that furniture and equipment (e.g., lounge chairs) that needs to be cleaned and disinfected is kept separate from furniture that has already been cleaned and disinfected. Label containers for used equipment that has not yet been cleaned and disinfected and containers for cleaned and disinfected equipment.
- Encourage patrons to bring and use their own towels wherever possible. If the facility is providing them, launder towels according to the manufacturer's instructions. Use the warmest appropriate water temperature and dry items completely. Handle towels with disposable gloves and minimal disturbance, i.e., do not shake them.
- Discourage people from sharing items, particularly those that are difficult to clean and disinfect or those that are meant to come in contact with the face (e.g., goggles, nose clips, and snorkels).
- Ensure that the facility has adequate equipment for patrons, such as kick boards, pool noodles, and other flotation devices, to minimize sharing wherever possible. Clean and disinfect the items after each use.
- For indoor aquatic venues, introduce and circulate outdoor air as much as possible by opening windows and doors, using fans, or other methods. <sup>14</sup> However, do not open windows and doors if doing so poses a safety risk to staff, patrons, or swimmers.
- Change the deck layout and other areas surrounding the pool to ensure that the standing and seating areas can support physical distancing requirements. This could include removing lounge chairs or taping off areas to discourage use.
- Provide physical cues or guides (e.g., lane lines in the water or chairs and tables on the deck) and visual cues (e.g., tape on the decks, floors, or sidewalks) and signs to ensure that staff, patrons, and swimmers stay at least six feet apart from one another, both in and out of the water.

- Where feasible, install impermeable physical barriers such as Plexiglas where staff and patrons must interact and physical distancing is difficult.
- Consider implementing reservations for pool use or implementing other mechanisms to support physical distancing. This could include reserving full-lanes for individual lap swimming and half-lanes for individual household use.
- Ensure that lifeguards who are actively lifeguarding are not also expected to monitor handwashing, use of cloth face coverings, or physical distancing. Assign this monitoring responsibility to another staff member.
- Aquatic venues should avoid activities that promote group gatherings and should be aware of local policies on gathering requirements to determine if aquatic fitness classes, swim lessons, swim team practices, swim meets, or pool parties can be held.
- CDC's Model Aquatic Health Code has more recommendations to prevent illness and injuries at public pools in parks.